



CUT-FIT CABLE PROGRAM

Contact Customer Care or Custom Kit Team to order.
Email customkits@orsnasco.com

Most Used Cable Connections

| Electrode Holders | | | |
|-------------------|-------------|-----------|---------------|
| | Best Welds | Lenco | Tweco |
| | Light Duty | | |
| 200 AMP | 900-A-532 | | 358-9110-1101 |
| 150 AMP | 900-AF-1 | | |
| 200 AMP | 900-AF-2 | 380-01020 | |
| | Medium Duty | | |
| 250 AMP | 900-A-316 | 380-01030 | 358-9110-1102 |
| 300 AMP | 900-A-732 | | 358-9110-1103 |
| 300 AMP | 900-AF-3 | 380-01040 | |
| | Heavy Duty | | |
| 500 AMP | 900-AF-50 | 380-01050 | |

| Ground Clamps | | | |
|---------------|-------------|-----------|---------------|
| | Best Welds | Lenco | Tweco |
| Econ 200 AMP | 900-EG-200 | 380-02000 | |
| Econ 300 AMP | 900-EG-300 | 380-02040 | |
| 200 AMP | 900-LGC-200 | 380-02010 | |
| 300 AMP | 900-LGC-300 | 380-02020 | |
| 500 AMP | 900-LGC-500 | 380-02030 | |
| 200 AMP | 900-TGC-200 | | 358-9205-1120 |
| 300 AMP | 900-TGC-300 | | 358-9205-1130 |
| 500 AMP | 900-TGC-500 | | 258-9205-1150 |

| Connectors | | | |
|------------|-----------|---------------|----------------|
| Best Welds | Lenco | Tweco | Cooper Connect |
| 900-LC-10 | | | |
| 900-LC-40 | 380-05050 | 358-9425-1200 | |
| 900-LC-40M | 380-05053 | 358-9425-1210 | |
| 900-LC-40F | 380-05056 | 358-9425-1220 | |
| | 380-05070 | | |
| | | 358-9425-1225 | |
| | | 358-9425-1226 | |
| | | 358-9425-1227 | |
| 900-L-1020 | | 358-9520-1105 | |
| | | | 627-E1012-63* |
| | | | 627-E1016-8350 |

*Longer lead times may apply.

Ampacity Chart

Footage shown infers total circuit length, i.e., from welding unit to electrode holder and return. A 25ft length means that this is 50 ft of cable

| Length Ft. ⁽¹⁾ | 25 | 50 | 75 | 100 | 150 | 200 | 250 | 300 |
|---------------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|
| AMPS | WIRE GAUGE, AWM or MM2 | | | | | | | |
| 100 | 6 | 4 | 2 | 2 | 1/0 | 1/0 | 3/0 | 4/0 |
| 140 | 6 | 4 | 2 | 1 | 2/0 | 3/0 | 4/0 | 250 |
| 200 | 4 | 2 | 1/0 | 2/0 | 4/0 | 4/0 | 350 | 350 |
| 240 | 4 | 2 | 1/0 | 3/0 | 4/0 | 250 | 350 | 500 |
| 300 | 2 | 1/0 | 2/0 | 250 | 250 | 350 | 500 | 500 |
| 340 | 2 | 1/0 | 3/0 | 250 | 350 | 350 | 500 | |
| 400 | 2 | 2/0 | 4/0 | 250 | 350 | 500 | | |
| 440 | 2 | 2/0 | 4/0 | 250 | 350 | 500 | | |
| 500 | 1 | 3/0 | 4/0 | 350 | 500 | | | |
| 540 | 1 | 3/0 | 250 | 350 | 500 | | | |
| 600 | 1/0 | 4/0 | 250 | 350 | 500 | | | |

ORDER INFORMATION BEST WELDS CABLE ASSEMBLIES:

- Cable size and length
- Fittings – Type, then Best Welds or OEM
- Lead time - Normal lead is 3 Days. Longer lead time may occur on large or unusual orders. Check with Custom Kits team to confirm lead time.
- All cut and cut/fit cable assemblies are made and shipped from our Cincinnati DC.
- Any stock request for a specific customer must come with a written agreement that all stock built for that customer will be purchased.
- Specially labeled cable is available with a 3% up-charge and fee for cable labeling wheel, MOQ 10,000 ft.(per order).
- All sales of custom cut/fit cable are final



ORSNASCO.COM • 800-678-6577

Combine these deals with over 200,000 products on your order. Not all products are stocked in every warehouse.



The information contained in this flyer is for information purposes only, not for sales, and is subject to change at any time without notice. Certain items may be restricted for sales in certain states.



CONNECTORS

- Cam action design allows lock in with a twist and pulls two halves tightly together
- Covers designed to resist heat, cold, abrasion, ozone and oil solvents, specially compound to be flame retardant
- They interchange with Tweco®




BATTERY CLAMPS

- Excellent electrical and physical properties
- Hammer-on copper connection
- Heavy-duty tension spring gives positive connection on front and side



GROUND CLAMPS

- Strong gripping power, large contact area assures positive grounding
- Fully insulated spring
- Contoured handle level for easy jaw opening



ELECTRODE HOLDERS

- Excellent electrical and physical properties
- Allen screw connections
- Heavy-duty tension spring gives positive connection on front and side



CUT & BOXED CABLE:

- Best Welds welding cable is sold in all gauge sizes 6 - 4/0
- Available in 25', 50', and 100' length increments
- Perforated punch hole allows access to the cable ends without damaging the shipping box
- Perfect for Point of Purchase shelf space

BEST WELDS CONNECT ORDERING INFORMATION:

- Best Welds Connect is manufactured in ORS Nasco's St. Paul, MN location. Top moving items are stocked regionally in Cincinnati, OH; Muskogee, OK; and Bakersfield, CA.
- 48-72 hr lead time
- Stand alone freight-prepaid order





WELDING CABLES

Contact Customer Care or Custom Kit Team to order.
Email customkits@orsnasco.com

| SKU | Description |
|-------------------|-----------------------------------|
| 911-4/0-1000 | 4/0 1000' WELDING CABLE |
| 911-4/0-250 | WELD CABLE 4/0AWG 250' RL |
| 911-4/0-250-RED* | WELD CABLE 4/0AWG RED 250' RL |
| 911-4/0-500* | WELD CABLE 4/0AWG 500' RL |
| 911-4/0-500-RED* | WELD CABLE 4/0AWG RED 500' RL |
| 911-4/0X100 | BW 4/0-100 WELDING CABLE- REEL |
| 911-4/0X25 | BW 4/0X25 WELDING CABLE |
| 911-4/0X50-BOXED | BW 4/0-50 WELDING CABLE- BOXED |
| 911-3/0-1000* | Weld Cable 3/0 1000' RL |
| 911-3/0X25 | BW 3/0X25 WELDING CABLE |
| 911-3/0X50-BOXED | BW 3/0-50 WELDING CABLE- BOXED |
| 911-3/0X100 | 3/0AWG 100' REEL |
| 911-3/0-250 | WELD CABLE 3/0AWG 250' RL |
| 911-3/0-500 | WELD CABLE 3/0AWG 500' RL |
| 911-3/0-500-RED* | WELD CABLE 3/0AWG RED 500' RL |
| 911-2/0-1000 | WELD CABLE 2/0 AWG 1000' RL |
| 911-2/0-250 | WELD CABLE 2/0AWG 250' RL |
| 911-2/0-250-RED* | WELD CABLE 2/0AWG RED 250' RL |
| 911-2/0-500 | WELD CABLE 2/0AWG 500' RL |
| 911-2/0-500-RED | WELD CABLE 2/0 AWG RED 500' RL |
| 911-2/0X100-BOXED | BW 2/0-100 WELDING CABLE- BOXED |
| 911-2/0X25-BOXED | BW 2/0-25 WELDING CABLE- BOXED |
| 911-2/0X50-BOXED | BW 2/0-50 WELDING CABLE- BOXED |
| 911-1/0-1000* | WELD CABLE 1/0AWG 1000' RL |
| 911-1/0-250 | WELD CABLE 1/0AWG 250' RL |
| 911-1/0-250-RED* | WELD CABLE 1/0 AWG RED 250' RL |
| 911-1/0-500 | WELD CABLE 1/0AWG 500' RL |
| 911-1/0-500-BLUE | 1/0 WELD CABLE 500' BLUE - CUSTOM |
| 911-1/0-500-RED* | WELD CABLE 1/0AWG RED 500' RL |
| 911-1/0X100-BOXED | BW 1/0-100 WELDING CABLE- BOXED |
| 911-1/0X25-BOXED | BW 1/0-25 WELDING CABLE- BOXED |
| 911-1/0X50-BOXED | BW 1/0-50 WELDING CABLE- BOXED |
| 911-1-1000 | WELD CABLE 1AWG 1000' RL |
| 911-1-250 | WELD CABLE #1 AWG 250' RL |
| 911-1-250-RED | WELD CABLE 1AWG RED 250' RL |
| 911-1-500 | WELD CABLE #1 AWG 500' RL |
| 911-1-500-RED* | WELD CABLE 1AWG RED 500' RL |
| 911-1X100-BOXED | BW 1-100 WELDING CABLE -BOXED |
| 911-1X25-BOXED | BW 1-25 WELDING CABLE -BOXED |
| 911-1X50-BOXED | BW 1-50 WELDING CABLE -BOXED |

| SKU | Description |
|-----------------|-----------------------------------|
| 911-2-1000 | WELD CABLE #2 AWG 1000' RL |
| 911-2-250 | WELD CABLE #2 AWG 250' RL |
| 911-2-250-RED* | WELD CABLE 2 AWG RED 250' RL |
| 911-2-500 | WELD CABLE #2 AWG 500' RL |
| 911-2-500-RED | WELD CABLE #2AWG-RED 500' RL |
| 911-2X100-BOXED | BW 2-100 WELDING CABLE -BOXED |
| 911-2X25-BOXED | BW 2-25 WELDING CABLE -BOXED |
| 911-2X50-BOXED | BW 2-50 WELDING CABLE -BOXED |
| 911-4-250 | WELD CABLE 4AWG 250' FT |
| 911-4-250-RED | WELD CABLE 4AWG-RED 250' RL |
| 911-4-500 | WELD CABLE 4AWG 500' RL |
| 911-4-500-RED | WELD CABLE 4AWG RED 500' RL |
| 911-4X100-BOXED | BW 4-100 WELDING CABLE -BOXED |
| 911-4X25-BOXED | BW 4-25 WELDING CABLE -BOXED |
| 911-4X50-BOXED | BW 4-50 WELDING CABLE -BOXED |
| 911-4-1000* | Weld Cable 4AWG 1000' RL |
| 911-6X50* | 6 AWG 50' CUT COILED TIED |
| 911-6-500* | WELD CABLE 6AWG 500' RL |
| 911-6-500-RED* | WELD CABLE 6AWG RED 500' RL |
| 911-6-1000* | Weld Cable 6AWG 1000' RL |
| 911-10613-250 | 2-250 WHIP CABLE 36GA ORG |
| 911-10614-250 | 1-250 WHIP CABLE 36GA ORG |
| 911-10615-250 | 1/0-250 WHIP CABLE 36GA ORG |
| 911-10618-250 | 2/0-250 WHIP CABLE 36GA ORG |
| 911-104120604 | WELD CABLE 4AWG 1000' RL - CUSTOM |
| 911-104130604* | WELD CABLE 2AWG 1000' RL - CUSTOM |

*Longer lead times may apply.



ORSNASCO.COM • 800-678-6577



Combine these deals with over 200,000 products on your order. Not all products are stocked in every warehouse.

The information contained in this flyer is for information purposes only, not for sales, and is subject to change at any time without notice. Certain items may be restricted for sales in certain states.